MA1 Civil Engineering

Academic year 2024-2025

Arnaud Deraemaeker (arnaud.deraemaeker@ulb.be)

Yves Duchêne (yduchene@greisch.com)


Sessions 3 – 4: Parasismic verification of a building according to Eurocode 8

Make the seismic verification of the building of the sport center located in Liege according to the Eurocode EN 1998-1


The building characteristics are:

- Rectangular building of dimensions 45 X 15 m
- 1 ground level + 1 level and an underground level → 3 levels
- Columns and central nucleus in concrete. All the other walls are in masonry except the underground walls which are in concrete
- The slabs are in concrete
- The building is located in Liege with a soil class C according to EN 1998-
- The building is an office building with meeting rooms
- Concrete is C 30/37 with an instantaneous non cracked Young's modulus of 35 000 N/mm²
- The dead masses of the floor are 600 kg/m² and 500 kg/m² for the roof
- The live loads are 500 kg/m²
- The vertical component of the earthquake is not taken into account
- The behaviour q factor is taken equal to 1.5


Views of the building are given in the next figures:




Plane view – underground




Plane view – level 0




Plane view – level 1




Plane view – roof




Elevation



Elevation



Façades



Façades

To make the parasismic verification of the building, we ask you to:

- 1. Establish the static scheme of the structure
 - a. Simplify the structure to focus on the horizontal behavior of the structure to represent the dynamic behavior under earthquake. Use beam elements.
 - b. Propose several (minimum 2) structure modifications to improve torsion behavior
 - c. Make the next calculations (point 2 to 4) for the base solution and 2 variants
 - d. Make the correspondence between the notations on slide 27 of the presentation of the project and the lecture slides.

2. Frequencies and eigen modes

- a. Make the modelization of the structure with MyFin. Use beam elements
- b. Compute the first eigen modes and draw the first important eigen modes
- c. Analyse the effects of the number of beams for the vertical columns, for the horizontal beams with MyFin
 - For the Octave calculations, keep the simpler model
- d. Extract the stiffness and mass matrix of the system
- e. Import the matrices in Octave (Matlab)
- f. Compute the eigen modes and the frequencies
- g. Compare with the MyFin solution

3. Modal properties

- a. Compute the modal stiffness and modal mass of each mode
 Modes normalized with maximum nodal displacement equal to 1
- b. Compute the effective modal mass in both horizontal directions
- c. Compute the modal share ratio for both horizontal directions

4. Parasismic calculation

- a. Establish the design acceleration spectrum according to EN 1998-1
- b. Compute the response (displacements) of each mode in each direction
- c. Compute the maximum response in each direction (SSRS and CQC) of the building top
- d. Compute the support forces (by modes, SRSS and CQC)
- e. Combine the support forces in both horizontal directions
- f. Compare the maximum displacements (key points) and base reactions for the different variants